

# **PRODUCT DATA SHEET**

#### PRODUCT DESCRIPTION

## QT Sport Scooter 5W-40

Duckhams QT Sport Scooter 5W-40 API SP JASO MB is a fully synthetic multigrade engine oil suitable for powerful big scooter motorcycle and modern scooters. Designed for high performance, using modern additive technology and high-quality synthetic and group III synthetic base oils, it provides outstanding protection and superior performance. Engineered with 100% synthetic technology, it ensures excellent engine cleanliness, enhanced wear protection, and superior thermal stability for high-revving, stop-and-go riding conditions.

#### **FEATURES AND BENEFITS**

- Delivers excellent performance across a wide range of temperatures, from very cold to very warm.
- Helps to keep the engine well-protected and running smoothly under various riding conditions.
- Offers a high level of resistance to heat, contributing to overall safety and reliability.
- Flows easily in cold weather, supporting quick and efficient engine start-up.

#### **SPECIFICATIONS:**

API SP; JASO MB



### **PRODUCT DATA SHEET**

#### **TYPICAL PHYSICAL CHARACTERISTICS**

Property	Unit	Typical Data
Viscosity		5W-40
Density @ 15°C	g/cm3	0.851
Viscosity @ 100°C	cSt	14.4
Viscosity @ 40°C	cSt	86.2
Viscosity Index	-	173
Viscosity CCS	сР	5107 (@ -30°C)
Colour	-	Amber
Flash Point (Closed Cup)	°C	212
Pour Point	°C	-39

# **HEALTH, SAFETY AND ENVIRONMENT**

Based on available information this product is not expected to present a significant health and safety hazard when used in the recommended applications and in accordance with the recommendations in the Safety Data Sheet. Safety Data Sheet available on request through your sales agent, or from the internet. Avoid prolonged or repeated contact with engine oils. Wash skin thoroughly after contact.

Protect the environment. Dispose of product and packaging in accordance with local regulations.

#### STORAGE AND HANDLING

Packed lubricants should be stored under cover. Where outside storage of drums is unavoidable, they should be laid horizontal to avoid water ingress. Product should not be stored in direct sunlight or excessively high, or low, temperatures. Duckhams can provide professional advice on the storage of lubricants.